

TransFx System Ordering Information—Mini 3mm

00-4450-005-00 TransFx-Small External Fixation Set, Basic

Pins (Self Tapping)

Prod. No.	Description
00-4453-025-15	TransFx-Pin, 2.5mm x 150mm, 15mm thread, 5ea.
00-4453-025-15	TransFx-Pin, 2.5mm x 150mm, 15mm thread, 5ea.
00-4453-030-15	TransFx-Pin, 3.0mm x 150mm, 25mm thread, 5ea.
00-4453-034-08	TransFx-Pin, 3.0/4.0mm x 80mm, 20mm thread, 5ea.
00-4453-035-08	TransFx-Pin, 3.5mm x 80mm, 25mm thread, 5ea.
00-4453-035-15	TransFx-Pin, 3.5mm x 150mm, 25mm thread, 5ea.

Clamps


00-4452-015-44	TransFx-Open Rod to Rod Clamp, 4mm to 4mm, 12ea.
00-4452-025-24	TransFx-Open Pin to Rod Clamp, 2.0 to 4.0mm/4mm, 12ea.
00-4452-030-04	TransFx-Multi Pin Clamp, 4mm, Single Connect, 4ea.
00-4452-031-04	TransFx-Multi Pin Clamp, 4mm, End Connect, 4ea.
00-4452-032-04	TransFx-Multi Pin Clamp, 4mm, Mid Connect, 4ea.

Rods/Caps

00-4451-004-06	TransFx-Carbon Fiber Rod, 4mm x 60mm, 2ea.
00-4451-004-08	TransFx-Carbon Fiber Rod, 4mm x 80mm, 2ea.
00-4451-004-10	TransFx-Carbon Fiber Rod, 4mm x 100mm, 4ea.
00-4451-004-12	TransFx-Carbon Fiber Rod, 4mm x 120mm, 4ea.
00-4451-004-14	TransFx-Carbon Fiber Rod, 4mm x 140mm, 4ea.
00-4451-004-16	TransFx-Carbon Fiber Rod, 4mm x 160mm, 4ea.
00-4451-004-18	TransFx-Carbon Fiber Rod, 4mm x 180mm, 4ea.
00-4451-004-20	TransFx-Carbon Fiber Rod, 4mm x 200mm, 2ea.
00-4451-004-25	TransFx-Carbon Fiber Rod, 4mm x 250mm, 2ea.
00-4451-004-30	TransFx-Carbon Fiber Rod, 4mm x 300mm, 2ea.
00-4452-015-48	TransFx-Open Rod to Rod Transitional Clamp, 4mm to 8mm
00-4452-092-25	TransFx-Protective Caps, 2.5/3.0mm, 1pkg of 10
00-4452-092-35	TransFx-Protective Caps, 3.5/4.0mm, 1pkg of 10

Instruments

00-4450-041-00	TransFx-Multi Pin Drill Guide, Sml/Int, 2.5/4.0mm, 1ea.
00-4450-043-00	TransFx-Drill Sleeve Set w/ Trocar, 2.5/4.0mm x 50mm, 2ea.
00-4450-044-00	TransFx-Drill Sleeve Set w/ Trocar, 2.5/4.0mm x 80mm, 2ea.
00-4450-050-00	TransFx-Hex Screw Driver, Mini/Sml/Int., 2.5mm, 1ea.
00-4450-054-00	TransFx-Drill Bit, 2.0mm x 125mm, QC, 2ea.
00-4450-056-00	TransFx-Drill Bit, 2.5mm x 180mm, QC, 2ea.
00-4450-072-00	TransFx-Combination Wrench, Sml/Int., 7mm, 2ea.
00-4450-073-00	TransFx-Socket Wrench, Sml/Int., 7mm, 1ea.
00-4450-080-00	TransFx-Hex Pin Driver, 3.0/3.5/4.0mm, 1ea.
00-4450-005-15	TransFx-Small External Fixation Sterilization Case, 1ea.
00-4817-090-00	TransFx-Universal Chuck, 1ea.



Mini Tray

TransFx System Ordering Information—Mini 3mm

00-4450-001-00 TransFx-Mini External Fixation Set

Pins

Prod. No.	Description
00-4453-012-10	TransFx-Pin, 1.25mm x 100mm, 5mm thread, 1 pkg.
00-4453-016-10	TransFx-Pin, 1.6mm x 100mm, 5mm thread, 1 pkg.

Clamps


00-4452-010-03	TransFx-Rod to Rod Clamp, 3mm to 3mm, 10ea.
00-4452-010-34	TransFx-Rod to Rod Transitional Clamp, 3mm to 4mm, 2ea.
00-4452-030-03	TransFx-Multi Pin Clamp, 3mm, Single Connect, 8ea.
00-4452-031-03	TransFx-Multi Pin Clamp, 3mm, End Connect, 2ea.
00-4452-032-03	TransFx-Multi Pin Clamp, 3mm, Mid Connect, 2ea.

Rods

00-4451-003-02	TransFx-Carbon Fiber Rod, 3mm x 25mm, 2ea.
00-4451-003-04	TransFx-Carbon Fiber Rod, 3mm x 45mm, 4ea.
00-4451-003-06	TransFx-Carbon Fiber Rod, 3mm x 60mm, 4ea.
00-4451-003-07	TransFx-Carbon Fiber Rod, 3mm x 75mm, 4ea.
00-4451-003-09	TransFx-Carbon Fiber Rod, 3mm x 90mm, 4ea.
00-4451-003-10	TransFx-Carbon Fiber Rod, 3mm x 105mm, 2ea.

Instruments

00-4450-001-10	TransFx-Mini External Fixation Sterilization Case, 1ea.
00-4450-040-00	TransFx-Drill Guide, Mini, 1.25/1.6mm, 1ea.
00-4450-050-00	TransFx-Hex Screw Driver, Mini/Sm/Int, 2.5mm, 1ea.
00-4450-070-00	TransFx-Combination Wrench, Mini, 5.5mm, 1ea.
00-4450-071-00	TransFx-Socket Wrench, Mini, 5.5mm, 1ea.
00-4450-078-00	TransFx-Universal Pin Driver, 1.25mm and 1.6mm, 1ea.
00-4450-083-00	TransFx-Mini Clamp Holder, 1ea.



Top Tray - Small

Bottom Tray - Small

Top Tray - Large

Top Tray - Large

Bottom Tray - Large

TransFx System Ordering Information-Standard/Self Drilling

00-4453-005-00 TransFx-standard pin Set, 1.25 to 4.0mm

Pins

Prod. No.	Description
00-4453-012-10	TransFx-Pin, 1.25mm x 100mm, 5mm thread, 10ea.
00-4453-016-10	TransFx-Pin, 1.6mm x 100mm, 5mm thread, 10ea.
00-4453-025-15	TransFx-Pin, 2.5mm x 150mm, 15mm thread, 10ea.
00-4453-025-20	TransFx-Pin, 2.5mm x 200mm, 15mm thread, 10ea.
00-4453-030-08	TransFx-Pin, 3.0mm x 80mm, 25mm thread, 10ea.
00-4453-030-15	TransFx-Pin, 3.0mm x 150mm, 25mm thread, 10ea.
00-4453-034-08	TransFx-Pin, 3.0/4.0mm x 80mm, 20mm thread, 5ea.
00-4453-035-08	TransFx-Pin, 3.5mm x 80mm, 25mm thread, 5ea.
00-4453-035-10	TransFx-Pin, 3.5mm x 100mm, 25mm thread, 5ea.
00-4453-035-15	TransFx-Pin, 3.5mm x 150mm, 25mm thread, 5ea.
00-4453-040-08	TransFx-Pin, 4.0mm x 80mm, 35mm thread, 5ea.
00-4453-040-10	TransFx-Pin, 4.0mm x 100mm, 35mm thread, 5ea.
00-4453-040-12	TransFx-Pin, 4.0mm x 120mm, 35mm thread, 5ea.
00-4453-040-15	TransFx-Pin, 4.0mm x 150mm, 35mm thread, 5ea.

Drills & Sterilization Case

00-4450-054-00	TransFx-Drill Bit, 2.0mm to 125mm, QC, 2ea.
00-4450-056-00	TransFx-Drill Bit, 2.5mm to 180mm, QC, 2ea.
00-4450-058-00	TransFx-Drill Bit, 3.0mm to 180mm, QC, 2ea.
00-4450-061-00	TransFx-Drill Bit, 3.5mm to 195mm, QC, 2ea.
00-4453-005-10	TransFx-Standard Pin Sterilization Case, 1.25mm to 4.0mm, 1ea.

Optional Items for 1.25 to 4.0 Pin Set

00-4450-055-00	TransFx-Drill Bit, 2.0mm x 100mm, QC
00-4450-057-00	TransFx-Drill Bit, 2.5mm x 95mm, QC
00-4450-059-00	TransFx-Drill Bit, 3.0mm x 95mm, QC
00-4450-060-00	TransFx-Drill Bit, 3.5mm x 195mm, QC

00-4454-005-00 TransFx-self drilling pin Set, 2.5 to 5.0mm

Pins

Prod. No.	Description
00-4453-025-15	TransFx-Pin, 2.5mm x 150mm, 15mm thread, 5ea.
00-4453-025-20	TransFx-Pin, 2.5mm x 200mm, 15mm thread, 5ea.
00-4454-030-08	TransFx-Self Drilling Pin, 3.0mm x 80mm, 20mm thread, 5ea.
00-4454-030-15	TransFx-Self Drilling Pin, 3.0mm x 150mm, 20mm thread, 5ea.
00-4454-034-08	TransFx-Self Drilling Pin, 3.0/4.0mm x 80mm, 20mm thread, 5ea.
00-4454-034-10	TransFx-Self Drilling Pin, 3.0/4.0mm x 100mm, 20mm thread, 5ea.
00-4454-035-08	TransFx-Self Drilling Pin, 3.5mm x 80mm, 30mm thread, 5ea.
00-4454-035-15	TransFx-Self Drilling Pin, 3.5mm x 150mm, 35mm thread, 5ea.
00-4454-040-08	TransFx-Self Drilling Pin, 4.0mm x 80mm, 35mm thread, 5ea.
00-4454-040-15	TransFx-Self Drilling Pin, 4.0mm x 150mm, 40mm thread, 5ea.
00-4454-045-15	TransFx-Self Drilling Pin, 4.5mm x 150mm, 45mm thread, 5ea.
00-4454-045-20	TransFx-Self Drilling Pin, 4.5mm x 150mm, 50mm thread, 5ea.
00-4454-050-15	TransFx-Self Drilling Pin, 5.0mm x 200mm, 50mm thread, 5ea.
00-4454-050-20	TransFx-Self Drilling Pin, 5.0mm x 200mm, 60mm thread, 5ea.
00-4454-050-25	TransFx-Self Drilling Pin, 5.0mm x 250mm, 80mm thread, 5ea.

Sterilization Case

00-4454-005-10	TransFx-Self Drilling Pin Sterilization Case, 2.5 to 5.0mm
----------------	------------------------------------------------------------

Optional Items

00-4454-060-15	TransFx-Self Drilling Pin, 6.0mm x 150mm, 70mm thread
00-4454-060-20	TransFx-Self Drilling Pin, 6.0mm x 200mm, 80mm thread
00-4454-060-25	TransFx-Self Drilling Pin, 6.0mm x 250mm, 80mm thread

00-4453-005-01 TransFx-standard pin Set, 4.5 to 6.0mm

Pins

Prod. No.	Description
00-4453-045-10	TransFx-Pin, 4.5mm x 100mm, 45mm thread, 5ea.
00-4453-045-12	TransFx-Pin, 4.5mm x 125mm, 45mm thread, 5ea.
00-4453-045-15	TransFx-Pin, 4.5mm x 150mm, 45mm thread, 5ea.
00-4453-045-17	TransFx-Pin, 4.5mm x 175mm, 45mm thread, 5ea.
00-4453-045-20	TransFx-Pin, 4.5mm x 200mm, 45mm thread, 5ea.
00-4453-050-12	TransFx-Pin, 5.0mm x 125mm, 50mm thread, 5ea.
00-4453-050-15	TransFx-Pin, 5.0mm x 150mm, 50mm thread, 5ea.
00-4453-050-17	TransFx-Pin, 5.0mm x 175mm, 50mm thread, 5ea.
00-4453-050-20	TransFx-Pin, 5.0mm x 200mm, 50mm thread, 5ea.
00-4453-050-25	TransFx-Pin, 5.0mm x 250mm, 50mm thread, 5ea.
00-4453-050-31	TransFx-Transverse Pin with Central Threads, 5.0mm x 300mm, 70mm thread, 5ea.


Drills & Sterilization Case

00-4450-058-00	TransFx-Drill Bit, 3.0mm x 180mm, QC, 2 ea.
00-4450-061-00	TransFx-Drill Bit, 3.5mm x 195mm, QC, 2 ea.
00-4450-067-00	TransFx-Drill Bit, 4.0mm x 230mm, QC, 2 ea.
00-4450-065-00	TransFx-Drill Bit, 4.5mm x 230mm, QC, 2ea.
00-4453-005-15	TransFx-Standard Pin Sterilization Case, 4.5 to 5.0mm, 1ea.



Optional Items for 4.5 to 6.00mm Pin Set

00-4450-059-00	TransFx-Drill Bit, 3.0mm x 95mm, QC
00-4450-060-00	TransFx-Drill Bit, 3.5mm x 195mm, QC
00-4450-062-00	TransFx-Drill Bit, 4.0mm x 180mm, QC
00-4450-066-00	TransFx-Drill Bit, 4.0mm x 230mm, QC
00-4450-064-00	TransFx-Drill Bit, 4.5mm x 230mm, QC
00-4453-056-30	TransFx-Transverse Pin with Central Threads, 5.0/6.0mm x 300mm, 50mm thread
00-4453-056-31	TransFx-Transverse Pin with Central Threads, 5.0/6.0mm x 300mm, 70mm thread
00-4453-060-15	TransFx-Pin, 6.0mm x 150mm, 60mm thread
00-4453-060-20	TransFx-Pin, 6.0mm x 200mm, 60mm thread
00-4453-060-25	TransFx-Pin, 6.0mm x 250mm, 60mm thread

4.5-6.0mm Standard Pin Set



1.25-4.0mm Standard Pin Set



2.5-5.0mm Self Drilling Pin Set



Contact your Zimmer representative or visit us at www.zimmer.com





Zimmer®
TransFx® External
Fixation System



Choice, Simplicity, Transition





Pin to Rod Clamp



Transition Clamp



Tod to Rod Clamp (Open and Closed Options)




Multi-Pin Clamp

The *TransFx* External Fixation System is a modular system that provides the physician with choices in frame construction, simplicity in frame components, and ease of transition in frame sizes, based upon anatomy and fracture type

Simple unilateral frames to complex modular frames are easily constructed for upper and lower extremity fracture management:

- Stabilization of long bone fractures and their soft tissues
- Fractures of the pelvis
- Periarticular fractures
- Joint fusion
- Osteotomies





Speed-Nut Technology



Small Pin to Rod Clamp




Small Rod to Rod
Open Clamp



Mini Rod to Rod
Closed Clamp



Mini Rod to Rod
Closed Transition Clamp

A large, semi-transparent illustration of a human hand and forearm skeleton is shown against a light red background. A surgical instrument, consisting of a black clamp and two long, thin rods, is attached to the hand. The instrument is positioned to demonstrate its use in a surgical procedure.

Transitioning in dimensional planes is simplified through a comprehensive offering of single and multi-pin clamps, pins, and carbon fiber rods

TransFx System Ordering Information-Large 11mm

00-4450-010-00 TransFx-Large External Fixation Set, Basic

Pins (Self Tapping)

Prod. No.	Description
00-4453-050-15	TransFx-Pin, 5.0mm x 150mm, 50mm thread, 8ea.
00-4453-050-20	TransFx-Pin, 5.0mm x 200mm, 50mm thread, 8ea.
00-4453-056-30	5.0mm x 300mm, 50mm thread, 4ea.

Clamps

00-4452-015-11	TransFx-Open Rod to Rod Clamp, 11mm to 11mm, 10ea.
00-4452-025-51	TransFx-Open Pin to Rod Clamp, 4.0 to 6.0mm/11mm, 6ea.
00-4452-030-11	TransFx-Multi-Pin Clamp, 11mm, Single Connect, 2ea.
00-4452-031-11	TransFx-Multi-Pin Clamp, 11mm, End Connect, 2ea.
00-4452-032-11	TransFx-Multi-Pin Clamp, 11mm, Mid Connect, 2ea.
00-4452-035-51	TransFx-Adjustable Clamp, 4.0 to 6.0mm/11mm, 8ea.

Rods/Caps

00-4450-010-10	TransFx-Carbon Fiber Rod, 11mm x 100mm, 2ea.
00-4451-001-12	TransFx-Carbon Fiber Rod, 11mm x 125mm, 2ea.
00-4451-001-15	TransFx-Carbon Fiber Rod, 11mm x 150mm, 2ea.
00-4451-001-20	TransFx-Carbon Fiber Rod, 11mm x 200mm, 2ea.
00-4451-001-25	TransFx-Carbon Fiber Rod, 11mm x 250mm, 2ea.
00-4451-001-30	TransFx-Carbon Fiber Rod, 11mm x 300mm, 2ea.
00-4451-001-35	TransFx-Carbon Fiber Rod, 11mm x 350mm, 2ea.
00-4451-001-40	TransFx-Carbon Fiber Rod, 11mm x 400mm, 2ea.
00-4452-092-11	TransFx-Protective Caps, 11mm, 1pkg
00-4452-092-45	TransFx-Protective Caps, 4.5/5.0mm, 1pkg

Instruments

00-4450-010-10	TransFx-Large External Fixation Sterilization Case, 1ea.
00-4450-045-00	TransFx-Multi Pin Drill Guide 4.0/5.0mm, 1ea.
00-4450-047-00	TransFx-Drill Sleeve Set w/ Trocar 4.0/5.0mm x 80mm, 2ea.
00-4450-048-00	TransFx-Drill Sleeve Set w/ Trocar, 4.0/5.0mm x 110mm, 2ea.
00-4450-049-00	TransFx-Drill Sleeve Set w/ Trocar, 4.0/5.0mm x 135mm, 2ea.
00-4450-052-00	TransFx-Hex Screw Driver, Large, 3.5mm, 1ea.
00-4450-063-00	TransFx-Drill Bit, 4.0mm x 195mm, QC, 2ea.
00-4450-067-00	TransFx-Drill Bit, 4.0mm x 230mm, QC, 2ea.
00-4450-069-00	TransFx-Depth Gauge, Large, 1ea.
00-4450-075-00	TransFx-Combination Wrench, Large, 11mm, 2ea.
00-4450-076-00	TransFx-Socket Wrench, Large, 11mm, 1ea.
00-4450-082-00	TransFx-Hex Pin Driver, 4.5/5.0/6.0mm, 1ea.
00-4450-087-00	TransFx-Open Compressor, Large, 2ea.
00-4817-020-00	TransFx-Articulating Wrench, Large, 11mm, 1ea.
00-4817-090-00	TransFx-Universal Chuck, 1ea.

Rods/Caps

00-4450-010-10	TransFx-Carbon Fiber Rod, 11mm x 100mm, 2ea.
00-4451-001-12	TransFx-Carbon Fiber Rod, 11mm x 125mm, 2ea.
00-4451-001-15	TransFx-Carbon Fiber Rod, 11mm x 150mm, 2ea.
00-4451-001-20	TransFx-Carbon Fiber Rod, 11mm x 200mm, 2ea.
00-4451-001-25	TransFx-Carbon Fiber Rod, 11mm x 250mm, 2ea.
00-4451-001-30	TransFx-Carbon Fiber Rod, 11mm x 300mm, 2ea.
00-4451-001-35	TransFx-Carbon Fiber Rod, 11mm x 350mm, 2ea.
00-4451-001-40	TransFx-Carbon Fiber Rod, 11mm x 400mm, 2ea.
00-4452-092-11	TransFx-Protective Caps, 11mm, 1pkg
00-4452-092-45	TransFx-Protective Caps, 4.5/5.0mm, 1pkg

Optional Rods

00-4451-001-45	TransFx-Carbon Fiber Rod, 11mm x 450mm
00-4451-001-50	TransFx-Carbon Fiber Rod, 11mm x 500mm
00-4451-001-55	TransFx-Carbon Fiber Rod, 11mm x 550mm
00-4451-001-60	TransFx-Carbon Fiber Rod, 11mm x 600mm
00-4451-001-65	TransFx-Carbon Fiber Rod, 11mm x 650mm

TransFx Aluminum Angled Rods

00-4451-001-91	TransFx-Aluminum Angled Rod, 11mm x 135mm, I.D.
00-4451-001-91	TransFx-Aluminum Angled Rod, 11mm x 180mm, I.D.



Top Tray - Intermediate

TransFx System Ordering Information-Intermediate 8mm

00-4450-005-00 TransFx-Intermediate External Fixation Set, Basic

Pins (Self Tapping)

Prod. No.	Description
00-4453-025-15	TransFx-Pin, 2.5mm x 150mm, 15mm thread, 5ea.
00-4453-030-08	TransFx-Pin, 3.0mm x 80mm, 25mm thread, 5ea.
00-4453-035-08	TransFx-Pin, 3.5mm x 80mm, 25mm thread, 5ea.
00-4453-035-15	TransFx-Pin, 3.5mm x 150mm, 25mm thread, 5ea.
00-4453-040-15	TransFx-Pin, 4.0mm x 150mm, 35mm thread, 5ea.

Clamps

00-4452-010-08	TransFx-Rod to Rod Clamp, 8mm to 8mm, 4ea.
00-4452-015-48	TransFx-Open Rod to Rod Transitional Clamp, 4mm to 8mm, 2ea.
00-4452-015-81	TransFx-Open Rod to Rod Transitional Clamp, 8mm to 11mm, 2ea.
00-4452-015-88	TransFx-Open Rod to Rod Clamp, 8mm to 8mm, 8ea.
00-4452-025-28	TransFx-Open Pin to Rod Clamp, 2.5 to 4.5mm/8mm, 8ea.
00-4452-030-08	TransFx-Multi-Pin Clamp, 8mm, Single Connect, 4ea.
00-4452-031-08	TransFx-Multi-Pin Clamp, 8mm, End Connect, 2ea.
00-4452-032-08	TransFx-Multi-Pin Clamp, 8mm, Mid Connect, 2ea.

Rods/Caps

00-4451-008-06	TransFx-Carbon Fiber Rod, 8mm x 60mm, 2ea.
00-4451-008-08	TransFx-Carbon Fiber Rod, 8mm x 80mm, 2ea.
00-4451-008-10	TransFx-Carbon Fiber Rod, 8mm x 100mm, 2ea.
00-4451-008-12	TransFx-Carbon Fiber Rod, 8mm x 120mm, 2ea.
00-4451-008-14	TransFx-Carbon Fiber Rod, 8mm x 140mm, 2ea.
00-4451-008-16	TransFx-Carbon Fiber Rod, 8mm x 160mm, 2ea.
00-4451-008-18	TransFx-Carbon Fiber Rod, 8mm x 180mm, 2ea.
00-4451-008-20	TransFx-Carbon Fiber Rod, 8mm x 200mm, 2ea.
00-4451-008-22	TransFx-Carbon Fiber Rod, 8mm x 220mm, 2ea.
00-4451-008-24	TransFx-Carbon Fiber Rod, 8mm x 240mm, 2ea.
00-4451-008-30	TransFx-Carbon Fiber Rod, 8mm x 300mm, 2ea.
00-4451-008-35	TransFx-Carbon Fiber Rod, 8mm x 350mm, 2ea.
00-4452-092-08	TransFx-Protective Caps, 8mm, 1pkg
00-4452-092-25	TransFx-Protective Caps, 2.5/3.0mm, 1pkg
00-4452-092-35	TransFx-Protective Caps, 3.5/4.0mm, 1pkg


Instruments

00-4450-005-10	TransFx-Intermediate External Fixation Sterilization Case, 1ea.
00-4450-041-00	TransFx-Multi Pin Drill Guide, Sml/Int, 2.5/4.0mm, 1ea.
00-4450-043-00	TransFx-Drill Sleeve Set w/ Trocar, 2.5/4.0mm x 50mm, 2ea.
00-4450-044-00	TransFx-Drill Sleeve Set w/ Trocar, 2.5/4.0mm x 80mm, 2ea.
00-4450-050-00	TransFx-Hex Screw Driver, Mini/Sml/Int, 2.5mm, 1ea.
00-4450-054-00	TransFx-Drill Bit, 2.0mm x 125mm, QC, 2ea.
00-4450-056-00	TransFx-Drill Bit, 2.5mm x 180mm, QC, 2ea.
00-4450-058-00	TransFx-Drill Bit, 3.0mm x 180mm, QC, 2ea.
00-4450-068-00	TransFx-Depth Gauge, Sml/Int, 1ea.
00-4450-072-00	TransFx-Combination Wrench, Sml/Int, 7mm, 2ea.
00-4450-073-00	TransFx-Socket Wrench, Sml/Int, 7mm, 1ea.
00-4450-079-00	TransFx-Articulating Wrench, Sml/Int, 1ea.
00-4450-080-00	TransFx-Hex Pin Driver, 3.0/3.5/4.0mm, 1ea.
00-4817-090-00	TransFx-Universal Chuck, 1ea.

Optional Rods

00-4451-008-40	TransFx-Carbon Fiber Rod, 8mm x 400mm
00-4451-008-45	TransFx-Carbon Fiber Rod, 8mm x 450mm
00-4451-008-50	TransFx-Carbon Fiber Rod, 8mm x 500mm

Middle Tray - Intermediate



Bottom Tray - Intermediate